

ROVELO 
TIRE



RADIAL TRUCK TIRES CATALOG





RFR37+



TIRE FEATURES:

- Groove and sipe design improve tire grip.
- The widened running surface improves pressure distribution for better traction.
- Groove nodules improve handling and driving comfort.
- The widened shoulders and shallow groove design effectively dissipate heat to promote even shoulder wear.

Plant	Size	L.I.&S.R	P.R	T.D/ mm	RIM/ inch	O.D/ mm	S.W/ mm	S.L.R/ inch	Single/ kg	Dual/ kg	A.P/ Kpa	A.P/ Psi
CN	205/75R17.5	124/122M	14	13.0	6.00	753	205	13.90	1600	1500	750	110
CN	245/70R19.5	144/142J	18	13.0	7.50	839	248	15.39	2800	2650	900	130
CN	265/70R19.5	143/141J	18	13.5	7.50	867	262	15.83	2725	2575	900	130



RDR02



TIRE FEATURES:

- The optimized profile design and wide tread delivers



improved abrasion resistance for longer service life.
overall fuel economy. up for improved safety.

Plant	Size	L.I&S.R	P.R	T.D/ mm	RIM/ inch	O.D/ mm	S.W/ mm	S.L.R/ inch	Single/ kg	Dual/ kg	A.P/ Kpa	A.P/ Psi
VN	10.00R20	149/146K	18	18.0	7.5	1065	278	19.13	3250	3000	930	135
CN	11R22.5	149/146L	18	19.5	8.25	1065	279	19.33	3250	3000	930	135
CN	245/70R19.5	144/142J	18	15.5	7.50	845	248	15.39	2800	2650	900	130
CN	265/70R19.5	143/141J	18	15.5	7.50	873	262	15.83	2725	2575	900	130



RDM72



TIRE FEATURES:

- Deep tread pattern and tire compound improve wear and tear resistance effectively improving tire life.
- Shoulder blocks connected by ribs to improve wear and tear resistance.
- Shallow groove design on the side of the blocks effectively promote even wear.

ON&OFF ROAD



- The wide running surface and deep pattern effectively increase wear resistance of the tread and improve mileage.

Plant	Size	L.I&S.R	P.R	T.D/ mm	RIM/ inch	O.D/ mm	S.W/ mm	S.L.R/ inch	Single/ kg	Dual/ kg	A.P/ Kpa	A.P/ Psi
CN	12R22.5	152/149K	18	22.0	9.00	1096	300	19.84	3550	3250	930	135